ELSEVIER

Fluid Phase Equilibria 129 (1997) 317–318

FLUID PHASE EQUILIBRIA

Contents of Volume 129 (1997)

Vol. 129, Nos. 1–2

Equilibrium properties: theoretical papers

Properties of coexisting fluid phases of a binary system methanol–ethane by computer simulation
I.Yu. Gotlib, E.M. Piotrovskaya (St.Petersburg, Russia) and S.W. De Leeuw (Delft, The Netherlands) 1–13

Procedure for checking and fitting experimental liquid–liquid equilibrium data
V. Gomis, F. Ruíz, J.C. Asensi and M.D. Saquete (Alicante, Spain) 15–19

VLE calculations by applying a modified perturbed hard sphere EOS
M.-L. Yu and Y.-P. Chen (Taipei, Taiwan) 21–35

Automatic derivation of thermodynamic property functions using computer algebra
R. Taylor (Potsdam, NY, USA) 37–47

A new method for predicting critical volumes of organic compounds
S.R.S. Sastri, S. Mohanty and K.K. Rao (Bhubaneswar, India). 49–59

Prediction of hydrocarbon and CFC liquid mixtures densities
A. Boushehri, F.S. Hashemi and T. Keshavarzi (Shiraz, Iran) 61–67

A group contribution model for thermodynamic and transport properties of dilute gases
S.-K. Oh (Chungnam, Korea) and S.W. Campbell (Tampa, FL, USA). 69–88

Representation of excess enthalpies by the PRSV equation of state with the modified Huron–Vidal first order and Wong–Sandler mixing rules
T. Ohta (Ishikawa, Japan) 89–103

Critical temperature and density from liquid–vapor coexistence data: application to refrigerants R32, R124, and R152a
L.J. Van Poolen (Grand Rapids, MI, USA), C.D. Holcomb (Boulder, CO, USA) and V.G. Niesen (Ponca City, OH, USA). 105–111

Rigorous implementation of continuous thermodynamics using orthonormal polynomials
J. Lin Liu and D. Shan Hill Wong (Hsinchu, Taiwan) 113–127

Equilibrium properties: experimental papers

Vapor–liquid equilibria of the binary systems formed by methanol, acetone and methyl vinyl ketone at 100.0 ± 0.2 kPa
C.-H. Tu, Y.-S. Wu and T.-L. Liu (Taiwan, People's Republic of China) 129–137

Solid–liquid equilibria for systems containing long-chain 1-alkanols. III. Experimental data for 1-tetradecanol, 1-hexadecanol, 1-octadecanol or 1-icosanol + 1-butanol, 1-hexanol, 1-octanol or 1-decanol mixtures. Characterization in terms of DISQUAC
U. Domańska (Warsaw, Poland) and J.A. Gonzalez (Valladolid, Spain) 139–163

Vapor–liquid equilibrium in the binary systems formed by phenol and *ortho*-cresol with tetralin at 101.1 and 26.6 kPa
S.M. Ashraf, T.E. Vittal Prasad, M. Ramakrishna and D.H.L. Prasad (Hyderabad, India) 165–174

Liquid–liquid equilibria for the extraction of aromatics from naphtha reformate by dimethylformamide/ethylene glycol mixed solvent
G.M. Radwan, S.A. Al-Muhtaseb and M.A. Fahim (Al-Ain, United Arab Emirates) 175–186

Vapour–liquid equilibrium data for the recovery of 1-octanol from ternary mixtures with methanol and water
A. Arce, J.C. Pérez and A. Soto (Santiago, Spain) 187–195

Experimental and modeling studies on the solubility of CO_2, $CHClF_2$, CHF_3, $C_2H_2F_4$ and $C_2H_4F_2$ in water and aqueous NaCl solutions under low pressures
D.-Q. Zheng, T.-M. Guo (Beijing, P.R. China) and H. Knapp (Berlin, Germany) 197–209

Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K
A. Pal and W. Singh (Kurukshetra, India). 211–221

Vapour–liquid equilibria. IX. The ternary system cyclohexane–methanol–hexane at 313.15 K
M. Góral, P. Oracz and S. Warycha (Warsaw, Poland) 223–233
Distribution of citric, acetic and oxalic acids between water and organic solutions of tri-*n*-octylamine
T. Kirsch, H. Ziegenfuß and G. Maurer (Kaiserslautern, Germany) 235–266
Measurement and prediction of water activity in electrolyte solutions by a modified ASOG group contribution method
A. Correa, J.F. Comesaña, J.M. Correa (Vigo, Spain) and A.M. Sereno (Porto, Portugal) 267–283
Experimental determination of the phase behavior of binary mixtures: methane–hexane and methane–benzene
Ph. Marteau, J. Obriot (Villetaneuse, France), A. Barreau, V. Ruffier-Meray and E. Behar (Rueil-Malmaison, France) . . . 285–305

Letter
Comments concerning "Derivation of Wilson equation for G^E from association models"
W.E. Acree Jr. (Denton, TX, USA) 307–310

Erratum
Erratum to "Phase equilibria in ternary Lennard–Jones systems [Fluid Phase Equilibria, 107 (1995) 31–43]
J. Vorholz, V.I. Harismiadis and A.Z. Panagiotopoulos (Ithaca, NY, USA) 311

Subject Index 313

Author Index 315

Contents Vol. 129 317